


ANTS (Autonomous Nano Technology Swarm): An Artificial Intelligence Approach To Asteroid Belt Resource Exploration



Steven A. Curtis

NASA Goddard Space Flight Center (GSFC)

Greenbelt, Maryland



J. Mica, and J. Nuth, G. Marr /GSFC M. Rilee and M. Bhat /Raytheon ITSS

Presented at the
51st International Astronautical Congress
2-6 October 2000, Paper: IAF-00-Q.5.08



Raytheon

THE NEXT FRONTIER

The <u>Asteroid Belt</u> is the next unexplored frontier after the exploration of Pluto and Mercury.




Study of the asteroid belt requires:

- Science missions for insight into solar system origin and evolution,
- Exploration, survey, and prospecting for potential resources, and
- Further technology for autonomous and distributed systems.

MISSION GOALS

- Scientifically categorize all asteroids > 1 km in diameter.
- Perform initial prospecting for potential resources.




CHALLENGES


- Large number of Asteroids.
- Wide variety of instruments.
- Far from the Sun.
- Far from the Earth.
- Comparatively large ΔV requirement.

SOLUTION


AUTONOMOUS Nano Technology Swarms (ANTS),

- An insect colony analog.
- Large number of spacecraft.
- Very specialized spacecraft.
- Solar sails for ΔV .
- Very small spacecraft, picospacecraft.
- Highly autonomous operation.





ASTEROIDS



SPACECRAFT


An ANT picospacecraft

- Present nanospacecraft extended to picospacecraft regime.
- An explorer complete with subsystems to carry out the mission.
- On-board computation, artificial intelligence, heuristics systems for control at all levels.
- Solar sail propulsion systems.
- Inter-spacecraft communications:
 - Low bandwidth (LBW) for distance, swarm cohesion, collective behavior.
 - High bandwidth (HBW) for data transfer.

• Types

- Ruler/Messenger
- Worker






Worker

RULER ANT

- Swarm heuristics operations planner.
- Assign workers, maintain swarm statistics.
- Manage overall mission objectives.
- Distributed intelligence operations.
- Resolve local/mission conflicts.
- Navigation, collision avoidance, rendezvous.
- Communications and relay.

MESSENGER ANT

- Similar to Ruler.
- Higher ΔV .
- More communication.
- Limited science instrumentation.
- Lesser or dormant CPU capability.



MINIATURIZED INSTRUMENTS

- Examine limits.
- Preserve functionality.
- General survey type initial mission.
- Requirement to catalog mass, density, morphology, chemical composition.

Basic Instruments:

Magnetometers, Radiosounders, Radar, Lidar, X-ray Fluorescence Spectrometers, Gamma-ray Spectrometers, Visible-near-IR spectrometers, Thermal-IR Spectrometers, Mass Spectrometers, Monochromatic imaging cameras and Accelerometers.

ANTS TRANSFER ORBIT

• Solar sail size: 100 m²


• S/C Mass: 1 kg

• Flat plate normal from sun line: 30°

• Transfer to: 2.8 AU

• Transfer time: 3.5 yr.

• da/dt~100 Mm/12 hrs.





ENCOUNTER WITH AN ASTEROID


Ant Model Features:


- Neural like signaling using radio beacon.
- LBW/HBW capability.
- LBW for colony-global behavior.
- HBW for specific data transfers.
- Customized for particular mission oriented data.
 - Workers: autonomous, sensing capability.
 - Messengers: high acceleration, dart from ANT to ANT, relieve workers of data.
 - Rulers : excite various behaviors in ANTS.

LBW: Low bandwidth; HBW: High bandwidth









CONCLUSION

- A swarm of picospacecrafts is an effective means to explore the asteroid belt.
- Technological challenges of such a mission are outlined.
- An individual ANT is a highly specialized, integrated, autonomous system.
- Mission goals are achieved through emergent, collective behavior.
- An asteroid encounter scenario illustrates the ANTS operational concept.

